

**TEST REQUISITION FORM FOR AMNIOTIC FLUID**

Name of patient: \_\_\_\_\_ Age: \_\_\_\_\_

Husband/fathers Name: \_\_\_\_\_

Full address:

Telephone number:

Clinical Information sample:

Chorionic Villus Biopsy

Amniotic fluid

Cord Blood Sample

Date drawn:

Date Sent:

Drawn By: Dr.

Full Address of the clinic:  
(where the sample is drawn)

PNDT Regd. No.

Date of recent USG:

Gest.. Age by USG:

LMP

EDD:

Obstratics History:

**Indication for Prenatal Diagnosis:**

Advanced Maternal Age (>35yrs) -----

1. Positive triple marker scan report  
(Please provide copy of the report)
2. H/o two or more spontaneous abortions -----  
(Please furnish detailed history)
3. H/o exposure to potentially teratogenic agent  
Such as drugs, radiation, infections or chemicals  
(Please furnish detailed history)
4. Family H/o Mental Retardation or physical deformity  
Or genetic disorder  
(Please furnish detailed history)
5. Any other (Please furnish details)

**Attestation:**

I attest that the information given in this form is true and this patient has been informed about the prenatal diagnostic procedure & tests. The patient is also informed about PNDDT act and she has given the consent to perform the test that I requested.

Sign of Patient

Sign of Clinician

**Note:**

**Prenatal Diagnosis:**

Strict aseptic precautions are to be followed while collecting the samples for karyotyping.

The sample should reach the lab preferably on the same day or within 24 hours of collection. The samples should be transported at ambient temperature. Duly filled consent form is mandatory. The concerned report will not be released if consent form is absent

**Chorionic Villi:** 20-30 mg of chorionic villi collected in sterile medium supplied by the cytogenetic lab.

**Amniotic Fluid:** 20 ml of amniotic fluid divided between sterile 15 ml centrifuge tubes or in one 50 ml conical tube.

**Cord Blood:** 1-2 ml of cord blood collected in sterile sodium heparin (green top) Vacutainer.

**Rejected Criteria:** samples collected in unsterile container for karyotyping, leaked out samples, samples collected after 19 wks of gestations.